# TECHPOWERING THE WORLD



## **UniPOS A5**

**An Omni-channel Payment Solution** 





MULTIPLE BIOMETRIC AUTHENTICATION (Fingerprint, Iris, Facial, Voice)



RUGGED & ERGONOMIC DESIGN

**FinTech** 

## **UniPOS A5**

**An Omni-channel Payment Solution** 

Evolute UniPOS A5 is India's first certified POS terminal with multiple biometric authentication & card acceptance capabilities for both contact and contactless payments. With our Research & Development facility certified by the Department of Scientific & Industrial Research, India, Evolute UniPOS A5 is made to Techpower the users with smart technologies to digitize businesses & create equal opportunities of growth across the world.







**5.5inch** capacitive touch screen LCD



Fingerprint, Iris, Facial & Voice recognition capable



2" Multi-language, logo & sticker supported thermal printer



Independent charging & communication ports, Type C fast charging



7800 mAH battery capacity



Memory Option 1GB/2GB + 8GB/16GB memory, micro SD extendable up to 64GB

#### **TECHNICAL SPECIFICATIONS**

TECHNICAL SPECIFICATIONS		IICAL SPECIFICATIONS
	СРИ	Processor : MSM8909, quad core 1.4 GHZ Security CPU : ARM cortex M3
	os	Android 7 and above
	DISPLAY	5.5 inches LCD with capacitive touch screen Pixel 1280x720
	COMMUNICATION	Ports : MicroUSB & Serial port  Bluetooth : 4.0 and above  WiFi : 2.4 GHz support 802.11 a/b/g/n  Dual SIM support for:  2G : GSM/EDGE850/900/1800/1900  3G : WCDMA 850/900/1800/2100  4G : FDD band 1, 3, 7 TDD band 38/39/40/41
	AUDIO	Speaker support Encryption sound waves verification support Sound waves to pay (MIC)
	SCANNERS	Fingerprint Scanner : STQC certified optical or capacitive technology sensor supports ISO Sc37 19794-2/4 or ANSI/ NCITS 378 template formats, 500 dpi resolution FAP 10/20/30/50/60 (4-4-2) optional IRIS scanner camera : STQC certified RD capable Facial & voice recognition  Barcode scanner
	SECURITY	Support DES/3DES/AES Support RSA (1024,2048 bits key length) ECC (192.256.521 bots key length) DUKPT, master key/session key
	CARD READERS	Magnetic card reader : AES encrypted three track 1/2/3, bi-directional reader  Smart card reader : ISO 7816 compliant, EMV L1 and L2 certified secured contact reader  SAM : ISO 7816 dual SAM interface  Contactless card reader : ISO 14443 compliant, EMV L1 and L2 approved secured contactless reader
•	PHYSICAL PROPERTIES	Dimensions: 197 (L) x 79.8 (W) x 68.2 (H) mm  Weight: 480g (with battery & paper)  350g (without battery & paper)
	SOFTWARE DEVELOPMENT KIT	EMV/PCI compliant android SDK provided for android based POS terminals & registered device service for biometrics

#### **CERTIFICATIONS**

hand belt, extra battery





ACCESSORIES (OPTIONAL)





Docking station, QR cradle, MRZ OCR reader, carry pouch,



















### **Banks and Financial Institutes**



MINI BANK/
BRANCHLESS BANKING



AGENCY BANKING/
DOORSTEP BANKING



LOAN MANAGEMENT SYSTEM (LMS)

- Customer Onboarding
- Electronic KYC
- Account Opening
- Instant Activation
- Bank Branch Anywhere , Everywhere with MicroATM
- Business Correspondent Model
- Cash Withdrawal, Deposit
- Funds Transfer, Bal Enquiry
- VAS Services
- Lead Management
- Instant Loan Approval
- Instant disbursement
- **EMI Collections**
- Instant receipt for TRUST
- Multi mode EMI collections
- Insurance Issuance and Premium Collections